

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method of providing a value bearing indicium to an end-user via a computer network, the method comprising the steps of:

receiving validation information from an end-user's machine via the computer network;

generating value bearing indicium data using the validation information;

storing the value bearing indicium data in a validation information database, before the value bearing indicium is validated;

transmitting a copy of the value bearing indicium data to the end-user's machine via the computer network;

receiving the copy of the value bearing indicium data from a scanning machine via the computer network;

determining a validity status for the value bearing indicium data using the validation information database[[;]]
wherein the validity status of the value bearing indicium is determined to be already redeemed when the value bearing indicium data and a redeemed status thereof are found in the validation information database; and

transmitting the validity status to the scanning machine.

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

2. (Original) The method of claim 1, further comprising the steps of:

receiving a value bearing indicium data request from the end-user's machine via the computer network;

generating the validation information from the value bearing indicium data request; and

transmitting the validation information to the end-user's machine via the computer network.

3. (Original) The method of claim 2, further comprising the step of transmitting the validity status to a value bearing indicium distributor.

4. (Currently Amended) The method of claim 1, wherein the validity status of the value bearing indicium ~~data~~ is determined to be invalid if the value bearing indicium data is not found in the validation information database.

5. (Cancelled)

6. (Currently Amended) The method of claim 1 wherein the value bearing indicium ~~data~~ is a ticket.

7. (Currently Amended) The method of claim 1 wherein the value bearing indicium ~~data~~ is postage for a mail piece.

8. (Currently Amended) The method of claim 1 wherein the value bearing indicium ~~data~~ is currency.

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

9. (Currently Amended) The method of claim 1 wherein the value bearing indicium ~~data~~ is a voucher.

10. (Currently Amended) The method of claim 1 wherein the value bearing indicium ~~data~~ is a coupon.

11. (Currently Amended) The method of claim 1 wherein the value bearing indicium ~~data~~ is a traveler's check.

12. (Original) The method of claim 1, wherein the step of generating value bearing indicium data using the validation information includes the steps of:

generating a message digest by hashing a first subset of the validation information;

generating a digital signature from the message digest; and

generating a bar code from a second subset of the validation information.

13. (Currently Amended) A method of providing a ticket to an end-user via a computer network, the method comprising the steps of:

providing a ticket server, the ticket server operably coupled to a validation information database;

providing a distributor server to generate a web interface to allow access by a user through a web browser;

receiving a ticket request from an end-user's machine by the distributor server via the computer network;

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

generating validation information from the ticket request by the distributor server;

transmitting the validation information to the end-user's machine by the distributor server via the computer network to be displayed via the web browser;

receiving by the ticket server the validation information from the end-user's machine via the computer network;

generating by the ticket server a ticket using the validation information;

storing the ticket in the validation information database, before the ticket is validated;

transmitting the ticket to the end-user's machine by the ticket server via the computer network to be displayed via the web browser;

receiving the ticket from a scanning machine by the ticket server via the computer network;

determining a validity status for the ticket by the ticket server using the validation information database[[]] wherein the validity status of the ticket is determined to be already redeemed when the ticket data and a redeemed status thereof are found in the validation information database;

transmitting the validity status to the scanning machine by the ticket server via the computer network; and

transmitting the validity status to the distributor server by the ticket server via the computer network.

14. (Previously Presented) The method of claim 13, wherein the validity status of the ticket is determined to be

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

invalid if the validation information is not found in the validation information database.

15. (Cancelled)

16. (Original) The method of claim 13, the step of generating a ticket using the validation information including the steps of:

generating a message digest by hashing a first subset of the validation information;

generating a digital signature from the message digest;
generating a bar code from a second subset of the validation information; and

transmitting via the computer network the digital signature and the bar code to the end-user's machine to be printed as a ticket.

17. (Original) The method of claim 16, wherein the message digest is generated using a secure hash algorithm.

18. (Original) The method of claim 17, wherein the digital signature is generated using a digital signature algorithm.

19. (Currently Amended) A data processing system adapted to process a value bearing indicium via a computer network, the data processing system comprising:

an end-user's machine;

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

a scanning machine; and
an indicium server including:

a processor; and

a memory operably coupled to the processor and having indicium server program instructions stored therein, the processor being operable to execute the indicium server program instructions, the indicium server program instructions including:

receiving validation information from the end-user's machine via the computer network;

generating value bearing indicium data using the validation information;

storing the value bearing indicium data in a validation information database, before the value bearing indicium is validated;

transmitting a copy of the value bearing indicium data to the end-user's machine via the computer network;

receiving the copy of the value bearing indicium data from the scanning machine via the computer network;

determining a validity status for the value bearing indicium ~~data~~ using the validation information database[[]] wherein the validity status of the value bearing indicium is determined to be already redeemed when the value bearing indicium data and a redeemed status thereof are found in the validation information database; and

transmitting the validity status to the scanning machine.

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

20. (Currently Amended) The data processing system of claim 19, wherein the validity status of the value bearing indicium data is determined to be invalid if the value bearing indicium data is not found in the validation information database.

21. (Currently Amended) The data processing system of claim 19, wherein the validity status of the value bearing indicium data is determined to be redeemed if the value bearing indicium data and a redemption status thereof are found in the validation information database.

22. (Original) The data processing system of claim 19 further comprising a distributor server, the distributor server including:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

receiving a value bearing indicium data request from the end-user's machine via the computer network;

generating the validation information from the value bearing indicium data request; and

transmitting the validation information to the end-user's machine via the computer network.

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

23. (Original) The data processing system of claim 22, the indicium server program instructions further including transmitting the validity status to the distributor server.

24. (Currently Amended) The data processing system of claim 19 wherein the value bearing indicium ~~data~~ is a ticket.

25. (Currently Amended) The data processing system of claim 19 wherein the value bearing indicium ~~data~~ is postage for a mail piece.

26. (Currently Amended) The data processing system of claim 19 wherein the value bearing indicium ~~data~~ is currency.

27. ((Currently Amended) The data processing system of claim 19 wherein the value bearing indicium ~~data~~ is a voucher.

28. (Currently Amended) The data processing system of claim 19 wherein the value bearing indicium ~~data~~ is a coupon.

29. (Currently Amended) The data processing system of claim 19 wherein the value bearing indicium ~~data~~ is a traveler's check.

30. (Original) The data processing system of claim 19, wherein the program instructions for generating value bearing indicium data using the validation information include:

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

generating a message digest by hashing a first subset of the validation information;

generating a digital signature from the message digest;

generating a bar code from a second subset of the validation information; and

transmitting via the computer network the digital signature and the bar code to the end-user's machine to be printed as a value bearing indicium.

31. (Original) The data processing system of claim 30, wherein the message digest is generated using a secure hash algorithm.

32. (Original) The data processing system of claim 31, wherein the digital signature is generated using a digital signature algorithm.

33. (Currently Amended) A data processing system adapted to provide a ticket to an end-user via a computer network, the data processing system comprising:

an end-user's machine hosting a browser;

a scanning machine;

a distributor server including:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

generating a web interface to be accessed by the browser;

receiving a ticket request from the end-user's machine via the computer network;

generating validation information from the ticket request to be displayed via the browser; and

transmitting the validation information to the end-user's machine via the computer network;

a ticket server operably coupled to a validation information database, the ticket server including:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

receiving the validation information from the end-user's machine via the computer network;

generating ticket data using the validation information to be displayed via the browser;

storing the ticket data in the validation information database, before the ticket is validated;

transmitting a copy of the ticket data to the end-user's machine via the computer network;

receiving the copy of the ticket data from the scanning machine via the computer network;

determining a validity status for the ticket data using the validation information database[[]] wherein the validity status of the ticket is determined to be already

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

redeemed when the ticket data and a redeemed status thereof are found in the validation information database; and
transmitting the validity status to the scanning machine.

34. (Currently Amended) The data processing system of claim 33, wherein the validity status of the ticket ~~data~~ is determined to be invalid if the ticket data is not found in the validation information database.

35. (Currently Amended) The data processing system of claim 33, wherein the validity status of the ticket ~~data~~ is determined to be redeemed if the ticket data is found in the validation information database and the ticket ~~data~~ has been previously redeemed.

36. (Original) The data processing system of claim 33, wherein the program instructions for generating the ticket data using the validation information include:

generating a message digest by hashing a first subset of the validation information;

generating a digital signature from the message digest;

generating a bar code from a second subset of the validation information; and

transmitting via the computer network the digital signature and the bar code to the end-user's machine to be printed as a ticket.

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

37. (Original) The data processing system of claim 36, wherein the message digest is generated using a secure hash algorithm.

38. (Original) The data processing system of claim 37, wherein the digital signature is generated using a digital signature algorithm.

39. (Currently Amended) A computer-readable storage medium embodying computer program instructions for execution by a computer, the computer program instructions adapting a computer to provide value bearing indicium data to a end-user via a computer network, the computer program instructions comprising:

receiving validation information from a browser hosted by an end-user's machine via the computer network;

generating value bearing indicium data using the validation information;

transmitting a response web page with a link to the value bearing indicium;

storing the value bearing indicium data in a validation information database, before the value bearing indicium is validated;

receiving a requested from the browser to resolve the link;

transmitting a copy of the value bearing indicium data to the browser at the end-user's machine via the computer network;

receiving the copy of the value bearing indicium data from a scanning machine via the computer network;

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

determining a validity status for the value bearing indicium ~~data~~ using the validation information database[[]] wherein the validity status of the value bearing indicium is determined to be already redeemed when the value bearing indicium data and a redeemed status thereof are found in the validation information database; and

transmitting the validity status to the scanning machine.

40. (Currently Amended) The computer-readable storage medium of claim 39, wherein the validity status of the value bearing indicium ~~data~~ is determined to be invalid if the value bearing indicium data is not found in the validation information database.

41. (Currently Amended) The computer-readable storage medium of claim 39, wherein the validity status of the value bearing indicium ~~data~~ is determined to be redeemed if the value bearing indicium data and a redemption status thereof are found in the validation information database.

42. (Original) The computer-readable storage medium of claim 39, the program instructions further including:

receiving a value bearing indicium data request from the end-user's machine via the computer network;

generating the validation information from the value bearing indicium data request; and

transmitting the validation information to the end-user's machine via the computer network.

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

43. (Currently Amended) A method of providing a value bearing indicium to an end-user via a computer network, the method comprising the steps of:

receiving a set of relevant information from an end-user's machine via the computer network;

verifying authenticity of the end-user responsive to the relevant information;

generating a message digest by hashing a first subset of the relevant information;

generating a digital signature from the message digest;

generating a 2-D bar code from a second subset of the relevant information;

transmitting via the computer network the digital signature and the 2-D bar code to the end-user's machine;

printing the digital signature and the 2-D bar code next to each other as a value bearing indicium;

storing value bearing indicium data in a validity database, before the value bearing indicium is validated;

receiving a request for validity status of the value bearing indicium;

providing a validity status based on a check of the validity database wherein the validity status of the value bearing indicium is determined to be already redeemed when the value bearing indicium data and a redeemed status thereof are found in the validation information database.

Appln No. 09/785,643
Amdt date August 18, 2006
Reply to Office action of June 21, 2006

44. (Original) The method of claim 43, wherein the message digest is generated using a secure hash algorithm.

45. (Original) The method of claim 44, wherein the digital signature is generated using a digital signature algorithm.

46. (Original) The method of claim 43, wherein the first subset of relevant information and the second subset of relevant information are the same.